

# SUNMINYUM







|                          | SMR 200/8  | SMR 225/8  | SMR 250/8  |
|--------------------------|------------|------------|------------|
| Boyut / Size             | Ø 200 cm   | Ø 225 cm   | Ø 250 cm   |
| Boru / Tube              | Ø 40/37 mm | Ø 40/37 mm | Ø 40/37 mm |
| Profil / Ribs            | 13x19 mm   | 13x19 mm   | 13x19 mm   |
| Paketleme / Factory Pack | 1          | 1          | 1          |

## Teknik Özellikleri / Technical Specifications

| Ölçü<br>Size | Kapalı Alan<br>Area Covered | Kapalı Yükseklik<br>Height Closed | Etek Yüksekliği<br>Clear Headroom | Açık Yükseklik<br>Height Open | Ambalaj<br>Packaging |
|--------------|-----------------------------|-----------------------------------|-----------------------------------|-------------------------------|----------------------|
| A            | B m <sup>2</sup>            | C cm                              | D cm                              | E cm                          | Cm                   |
| 200/8        | 3                           | 110                               | 163                               | 220                           | 27x27x250            |
| 225/8        | 4                           | 110                               | 163                               | 220                           | 27x27x250            |
| 250/8        | 5                           | 90                                | 183                               | 220                           | 27x27x250            |

## Profiller / Profiles



ODS DELUX 50  
50x50 cm. / 80 kg.



ODS 120  
50x50 cm / 80 kg



SÜPER TIKR/2412  
50 kg Betonlu Aftlık



MEGA-S 2310  
50 fl. Beton



Fonksiyonlu Masa  
Ø 50 cm

# BLUBRELLA ROUND



## BLR 200/6

|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :200 cm. Ø       |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |

## BLR 250/6


|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :250 cm. Ø       |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |

## BLR 275/6

|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :275 cm. Ø       |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |

## Aluminium Frame (Manual) 6 Ribs

| Technical Specifications |                  |                  |                              |
|--------------------------|------------------|------------------|------------------------------|
| SIZE                     | AREA COVERED     | FINISHED PARASOL | SIZES OF CARTON BOXES IN CM. |
| A                        | B m <sup>2</sup> | Kg.              |                              |
| 200/6                    | 3                | 5                | 16x16-130                    |
| 250/6                    | 5                | 7                | 16x16-150                    |
| 275/6                    | 6                | 8                | 16x16-155                    |



Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# BLUBRELLA SQUARE

## BLS 170x170/4

|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :170x170 cm.     |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |

## BLS 200x200/4

|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :200x200 cm.     |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |

## BLS 250x250/4

|                          |                  |
|--------------------------|------------------|
| Boyut / Size             | :250x250 cm.     |
| Üst Boru / Upper pipe    | :35,8x38,2 mm. Ø |
| Alt Boru / Bottom pipe   | :39x41 mm. Ø     |
| Profil / Ribs            | :13x19 mm.       |
| Paketleme / Factory Pack | :1               |



## Aluminium Frame (Manual) 4 Ribs

| Technical Specifications |                         |                            |                                    | <br>4 parts | <br>Ø 39<br>Ø 41<br>Ø 35,8<br>Ø 38,2 |
|--------------------------|-------------------------|----------------------------|------------------------------------|-------------|--------------------------------------|
| SIZE<br>A                | AREA<br>COVERED<br>B m² | FINISHED<br>PARASOL<br>Kg. | SIZES OF<br>CARTON<br>BOXES IN CM. |             |                                      |
| 170x170/4                | 3                       | 5,5                        | 16x16-135                          |             |                                      |
| 200x200/4                | 4                       | 6                          | 16x16-160                          |             |                                      |
| 250x250/4                | 6,25                    | 8                          | 16x16-205                          |             |                                      |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# BOND ROUND



## BR 300/8

Boyut / Size :300 cm.Ø  
 Boru / Tube :47/50 mm. Ø  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1

## BR 400/8

Boyut / Size :400 cm.Ø  
 Boru / Tube :47/50 mm. Ø  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1  
 Güçlendirilmiş orta boru ve profil  
 Strengthened ribs and poles

## BR 500/8

Boyut / Size :500 cm.Ø  
 Boru / Tube :47/50 mm. Ø  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1  
 Güçlendirilmiş orta boru ve profil  
 Strengthened ribs and poles

## Aluminium Frame & Pulley System

| Technical Specifications |                  |                     |               |                |              |                                      |                              |  |
|--------------------------|------------------|---------------------|---------------|----------------|--------------|--------------------------------------|------------------------------|--|
| SIZE                     | AREA COVERED     | CRANK HANDLE HEIGHT | HEIGHT CLOSED | CLEAR HEADROOM | TOTAL HEIGHT | Umbrella with polyester cloth in Kg. | SIZES OF CARTON BOXES IN CM. |  |
| A                        | B m <sup>2</sup> | C cm                | D cm          | E cm           | F cm         |                                      |                              |  |
| 300/8                    | 7                | 50                  | 78            | 190            | 250          | 13                                   | 22x22-250                    |  |
| 400/8                    | 12,5             | 50                  | 60            | 190            | 280          | 20                                   | 22x22-280                    |  |
| 500/8                    | 20               | 50                  | 26            | 220            | 305          | 23                                   | 22x22-305                    |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# BOND SQUARE



Havalandırma / Airing

## BS 300x300/8

Boyut / Size :300x300 cm.  
 Boru / Tube :46/50 mm. Ø  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1  
 Güçlendirilmiş orta boru ve profil  
 Strengthened ribs and poles

## BS 350x350/8

Boyut / Size :350x350 cm.  
 Boru / Tube :46/50 mm. Ø  
 Profil / Ribs :19x29 mm./ federli  
 Paketleme / Factory Pack :1  
 Güçlendirilmiş orta boru ve profil  
 Strengthened ribs and poles

## BS 400x400/8

Boyut / Size :400x400 cm.  
 Boru / Tube :46/50 mm. Ø  
 Profil / Ribs :19x29 mm./ federli  
 Paketleme / Factory Pack :1  
 Güçlendirilmiş orta boru ve profil  
 Strengthened ribs and poles

## Aluminium Frame & Pulley System

| Technical Specifications |                                     |                                   |                          |                           |                         |                                               |                                    |  |  |  |
|--------------------------|-------------------------------------|-----------------------------------|--------------------------|---------------------------|-------------------------|-----------------------------------------------|------------------------------------|--|--|--|
| SIZE<br>A                | AREA<br>COVERED<br>B m <sup>2</sup> | CRANK<br>HANDLE<br>HEIGHT<br>C cm | HEIGHT<br>CLOSED<br>D cm | CLEAR<br>HEADROOM<br>E cm | TOTAL<br>HEIGHT<br>F cm | Umbrella<br>with<br>polyester<br>cloth in Kg. | SIZES OF<br>CARTON<br>BOXES IN CM. |  |  |  |
| 300x300/8                | 9                                   | 50                                | 44                       | 195                       | 280                     | 19,5                                          | 22x22-280                          |  |  |  |
| 350x350/8                | 12,2                                | 50                                | 30                       | 210                       | 300                     | 22                                            | 22x22-300                          |  |  |  |
| 400x400/8                | 16                                  | 50                                | 30                       | 230                       | 335                     | 25                                            | 22x22-335                          |  |  |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6



## PLAIN STANDART DÜZ STANDART



### PLS 180/8

|                          |                   |
|--------------------------|-------------------|
| Boyut / Size             | :180 cm.Ø         |
| Boru / Tube              | :22/25mm.         |
| Tel / Ribs               | :3,80 mm. Ø steel |
| Paketleme / Factory Pack | :15               |



### PLS 200/10

|                          |                   |
|--------------------------|-------------------|
| Boyut / Size             | :200 cm.Ø         |
| Boru / Tube              | :22/25mm.         |
| Tel / Ribs               | :3,80 mm. Ø steel |
| Paketleme / Factory Pack | :15               |



### PLS 250/10

|                          |                   |
|--------------------------|-------------------|
| Boyut / Size             | :250 cm.Ø         |
| Boru / Tube              | :29/32mm.         |
| Tel / Ribs               | :4,20 mm. Ø steel |
| Paketleme / Factory Pack | :6                |

# SLIM BOND ROUND



## SBR 200/8

Boyut / Size :200 cm.Ø  
Boru / Tube :39x41 mm. Ø  
Profil / Ribs :17x27 mm.  
Paketleme / Factory Pack :1

## SBR 220/8

Boyut / Size :220 cm.Ø  
Boru / Tube :39x41 mm. Ø  
Profil / Ribs :17x27 mm.  
Paketleme / Factory Pack :1

## SBR 250/8

Boyut / Size :250 cm.Ø  
Boru / Tube :39x41 mm. Ø  
Profil / Ribs :17x27 mm.  
Paketleme / Factory Pack :1

## SBR 275/8

Boyut / Size :275 cm.Ø  
Boru / Tube :39x41 mm. Ø  
Profil / Ribs :17x27 mm.  
Paketleme / Factory Pack :1

## Aluminium Frame & Pulley System

| Technical Specifications |                  |                     |               |                |              |                                      |                              |  |
|--------------------------|------------------|---------------------|---------------|----------------|--------------|--------------------------------------|------------------------------|--|
| SIZE                     | AREA COVERED     | CRANK HANDLE HEIGHT | HEIGHT CLOSED | CLEAR HEADROOM | TOTAL HEIGHT | Umbrella with polyester cloth in Kg. | SIZES OF CARTON BOXES IN CM. |  |
| A                        | B m <sup>2</sup> | C cm                | D cm          | E cm           | F cm         |                                      |                              |  |
| 200/8                    | 3,1              | 100                 | 125           | 190            | 250          | 11                                   | 22x22x250                    |  |
| 220/8                    | 3,8              | 70                  | 114           | 186            | 250          | 12                                   | 22x22x250                    |  |
| 250/8                    | 5                | 60                  | 102           | 185            | 250          | 13                                   | 22x22x250                    |  |
| 275/8                    | 6                | 50                  | 90            | 185            | 250          | 14                                   | 22x22x250                    |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# SLIM BOND SQUARE



## SBS 150x150/4

Boyut / Size :150x150 cm.  
 Boru / Tube :39/41 mm. Ø  
 Profil / Ribs :17x27 mm.  
 Paketleme / Factory Pack :1

## SBS 170x170/8

Boyut / Size :170x170 cm.  
 Boru / Tube :39/41 mm. Ø  
 Profil / Ribs :17x27 mm.  
 Paketleme / Factory Pack :1




## SBS 200x200/8

Boyut / Size :200x200 cm.  
 Boru / Tube :39/41 mm. Ø  
 Profil / Ribs :17x27 mm.  
 Paketleme / Factory Pack :1

## SBS 250x250/8

Boyut / Size :250x250 cm.  
 Boru / Tube :39/41 mm. Ø  
 Profil / Ribs :17x27 mm.  
 Paketleme / Factory Pack :1

## Aluminium Frame & Pulley System

| Technical Specifications |                         |                                   |                          |                           |                         |                                               |                                    |  |  |  |  |  |  |
|--------------------------|-------------------------|-----------------------------------|--------------------------|---------------------------|-------------------------|-----------------------------------------------|------------------------------------|-------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|
| SIZE<br>A                | AREA<br>COVERED<br>B m² | CRANK<br>HANDLE<br>HEIGHT<br>C cm | HEIGHT<br>CLOSED<br>D cm | CLEAR<br>HEADROOM<br>E cm | TOTAL<br>HEIGHT<br>F cm | Umbrella<br>with<br>polyester<br>cloth in Kg. | SIZES OF<br>CARTON<br>BOXES IN CM. |                                                                                     |  |                                                                                      |  |                                                                                       |  |
| 150x150/8                | 2,25                    | 90                                | 110                      | 190                       | 235                     | 9                                             | 22x22x240                          |                                                                                     |  |                                                                                      |  |                                                                                       |  |
| 170x170/8                | 2,9                     | 80                                | 110                      | 190                       | 250                     | 9,3                                           | 22x22x250                          |                                                                                     |  |                                                                                      |  |                                                                                       |  |
| 200x200/8                | 4                       | 70                                | 90                       | 180                       | 250                     | 13,5                                          | 22x22x250                          |                                                                                     |  |                                                                                      |  |                                                                                       |  |
| 250x250/8                | 6,25                    | 60                                | 80                       | 180                       | 250                     | 16                                            | 22x22x250                          |                                                                                     |  |                                                                                      |  |                                                                                       |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6



# SUN DREAM-EXCULSIVE



**SDEX 350x350/8**


Boyut / Size :350x350 cm.

Paketleme / Factory Pack :1


**SDEX 400x400/8**

Boyut / Size :400x400 cm.

Paketleme / Factory Pack :1



| Technical Specifications |               |               |                |             |              |                  |                              |
|--------------------------|---------------|---------------|----------------|-------------|--------------|------------------|------------------------------|
| SIZE                     | SPACE COVERED | HEIGHT CLOSED | CLEAR HEADROOM | HEIGHT OPEN | TOTAL HEIGHT | FINISHED PARASOL | SIZES OF CARTON BOXES IN CM. |
| A                        | B m²          | C cm          | D cm           | E cm        | F cm         | Kg.              |                              |
| 350X350/8                | 12,2          | 40            | 275            | 305-375     | 375          | 70               | 40x40-375                    |
| 400X400/8                | 16            | 40            | 275            | 305-375     | 375          | 74               | 40x40-375                    |



# SUN DREAM ROUND



## SDR 220/8

Boyut / Size :220 cm.Ø  
 Ana Boru / Basic pipe :32/38 mm. Ø  
 Kadro Boru / Supporting pipes :16x19 mm. Ø  
 Kadro Boru / Supporting pipes :19,5x22 mm. Ø  
 Paketleme / Factory Pack :1

## SDR 275/8

Boyut / Size :275 cm.Ø  
 Ana Boru / Basic pipe :32/38 mm. Ø  
 Kadro Boru / Supporting pipes :16x19 mm. Ø  
 Kadro Boru / Supporting pipes :19,5x22 mm. Ø  
 Paketleme / Factory Pack :1

## SDR 250/8

Boyut / Size :250 cm.Ø  
 Ana Boru / Basic pipe :32/38 mm. Ø  
 Kadro Boru / Supporting pipes :16x19 mm. Ø  
 Kadro Boru / Supporting pipes :19,5x22 mm. Ø  
 Paketleme / Factory Pack :1

## SDR 300/8

Boyut / Size :300 cm.Ø  
 Ana Boru / Basic pipe :32/38 mm. Ø  
 Kadro Boru / Supporting pipes :16x19 mm. Ø  
 Kadro Boru / Supporting pipes :19,5x22 mm. Ø  
 Paketleme / Factory Pack :1

## Aluminium Frame & Pulley System

| Technical Specifications |                  |                     |               |                |              |                                      |                              |
|--------------------------|------------------|---------------------|---------------|----------------|--------------|--------------------------------------|------------------------------|
| SIZE                     | AREA COVERED     | CRANK HANDLE HEIGHT | HEIGHT CLOSED | CLEAR HEADROOM | TOTAL HEIGHT | Umbrella with polyester cloth in Kg. | SIZES OF CARTON BOXES IN CM. |
| A                        | B m <sup>2</sup> | C cm                | D cm          | E cm           | F cm         |                                      |                              |
| 220/8                    | 3,8              | 80                  | 115           | 190            | 260          | 10                                   | 20x20-260                    |
| 250/8                    | 5                | 70                  | 100           | 190            | 260          | 12                                   | 20x20-260                    |
| 275/8                    | 6                | 90                  | 120           | 185            | 260          | 11                                   | 20x20-260                    |
| 300/8                    | 7                | 90                  | 75            | 185            | 260          | 13                                   | 20x20-260                    |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# SUN DREAM-SILVER



## SDS 400x400/8

Boyut / Size :400x400 cm.  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## SDS 500x500/8

Boyut / Size :500x500 cm.  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## SDS 600x600/8

Boyut / Size :600x600 cm.  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## SDS 500/8

Boyut / Size :500 cm. Ø  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## SDS 600/8

Boyut / Size :600 cm. Ø  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## SDS 700/8

Boyut / Size :700 cm. Ø  
 Boru / Tube :93/100 mm. Ø  
 Profil / Ribs :20x40 mm.  
 Paketleme / Factory Pack :1

## Telescopic Parasol Aluminium Frame & Crank System

### Technical Specifications

| Diagram | SIZE      | SPACE COVERED    | CRANK HANDLE HEIGHT | HEIGHT CLOSED | CLEAR HEADROOM | HEIGHT OPEN | TOTAL HEIGHT | SIZES OF BOXES | Umbrella with polyester cloth in Kg. |
|---------|-----------|------------------|---------------------|---------------|----------------|-------------|--------------|----------------|--------------------------------------|
|         | A         | B m <sup>2</sup> | C cm                | D cm          | E cm           | F cm        | G cm         | cm             |                                      |
|         | 500/8     | 20               | 80                  | 130           | 200            | 305         | 420          | 40x40-420      | 64                                   |
|         | 600/8     | 28               | 80                  | 115           | 210            | 320         | 450          | 40x40-450      | 77                                   |
|         | 700/8     | 38,5             | 80                  | 80            | 215            | 335         | 468          | 40x40-468      | 86                                   |
|         | 400x400/8 | 16               | 80                  | 120           | 220            | 335         | 435          | 40x40-435      | 68                                   |
|         | 500x500/8 | 25               | 80                  | 78            | 230            | 364         | 490          | 40x40-490      | 84                                   |
|         | 600x600/8 | 36               | 80                  | 24            | 250            | 380         | 505          | 40x40-505      | 91                                   |

# SUN DREAM SQUARE

## SDS 200x200/8

Boyut / Size :200x200 cm.  
 Ana Boru / Basic pipe :32/38 mm.  $\emptyset$   
 Kadro Boru / Supporting pipes :16x19 mm.  $\emptyset$   
 Kadro Boru / Supporting pipes :19,5x22 mm.  $\emptyset$   
 Paketleme / Factory Pack :1

## SDS 250x250/8

Boyut / Size :250x250 cm.  
 Ana Boru / Basic pipe :32/38 mm.  $\emptyset$   
 Kadro Boru / Supporting pipes :16x19 mm.  $\emptyset$   
 Kadro Boru / Supporting pipes :19,5x22 mm.  $\emptyset$   
 Paketleme / Factory Pack :1



## Aluminium Frame & Pulley System

| Technical Specifications |                                     |                                   |                          |                           |                         |                                               |                                    |  |  |
|--------------------------|-------------------------------------|-----------------------------------|--------------------------|---------------------------|-------------------------|-----------------------------------------------|------------------------------------|--|--|
| SIZE<br>A                | AREA<br>COVERED<br>B m <sup>2</sup> | CRANK<br>HANDLE<br>HEIGHT<br>C cm | HEIGHT<br>CLOSED<br>D cm | CLEAR<br>HEADROOM<br>E cm | TOTAL<br>HEIGHT<br>F cm | Umbrella<br>with<br>polyester<br>cloth in Kg. | SIZES OF<br>CARTON<br>BOXES IN CM. |  |  |
| 200X200/8                | 4                                   | 70                                | 90                       | 190                       | 260                     | 12                                            | 20x20-260                          |  |  |
| 250X250/8                | 6,25                                | 50                                | 45                       | 185                       | 260                     | 13                                            | 20x20-260                          |  |  |
| 275X275/8                | 7,5                                 | 50                                | 60                       | 196                       | 260                     | 13                                            | 20x20-260                          |  |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6



# SUN POLE



## SP 300/8

Boyut / Size :300 cm.  
 Boru / Tube :70x70 mm.  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1









## SP 350/8

Boyut / Size :350 cm.  
 Boru / Tube :70x70 mm.  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1

## SP 300x300/8

Boyut / Size :300x300 cm.  
 Boru / Tube :70x70 mm.  
 Profil / Ribs :19x29 mm.  
 Paketleme / Factory Pack :1

## Crank System

|                                                                                     | 300/8                                                                               | 350/8                                                                               | 300x300/8                                                                           |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
|  |  |  |  |



# MANUEL TELESCOPIC ROUND & SQUARE



Telescopic manual system

## MTR 400/8

Boyut / Size :400 cm.  $\emptyset$   
Boru / Tube :56/60 mm.  $\emptyset$   
Profil / Ribs :18x28 mm.  
Paketleme / Factory Pack :1





## MTR 300x300/8

Boyut / Size :300x300 cm.  
Boru / Tube :56/60 mm.  $\emptyset$   
Profil / Ribs :18x28 mm.  
Paketleme / Factory Pack :1

## MTS 400x400/8

Boyut / Size :400x400 cm.  
Boru / Tube :56/60 mm.  $\emptyset$   
Profil / Ribs :18x28 mm.  
Paketleme / Factory Pack :1

## Technical Specifications

| SIZE<br>A | AREA<br>COVERED<br>B m <sup>2</sup> | HEIGHT<br>CLOSED<br>C cm | CLEAR<br>HEADROOM<br>D cm | HEIGHT<br>OPEN<br>E cm | TOTAL<br>HEIGHT<br>F cm | Umbrella<br>with<br>polyester<br>cloth in Kg. | SIZES OF<br>BOXES<br>cm |  |  |  |  |
|-----------|-------------------------------------|--------------------------|---------------------------|------------------------|-------------------------|-----------------------------------------------|-------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 400/8     | 12,5                                | 100                      | 200                       | 290                    | 340                     | 20                                            | 24x24x340               |                                                                                      |                                                                                      |                                                                                       |                                                                                       |
| 300x300/8 | 9                                   | 74                       | 200                       | 285                    | 325                     | 19                                            | 24x24x325               |                                                                                      |                                                                                      |                                                                                       |                                                                                       |
| 400x400/8 | 16                                  | 85                       | 200                       | 320                    | 380                     | 24                                            | 24x24x380               |                                                                                      |                                                                                      |                                                                                       |                                                                                       |

# TELESCOPIC SQUARE



## TS 400x400/8

Boyut / Size :400x400 cm.  
Boru / Tube :84/77 mm. Ø  
Profil / Ribs :20,5x33 mm.  
:21,5x34 mm.  
Paketleme / Factory Pack :1

## TS 500x500/8

Boyut / Size :500x500 cm.  
Boru / Tube :84/77 mm. Ø  
Profil / Ribs :20,5x33 mm.  
:21,5x34 mm.  
Paketleme / Factory Pack :1

## TS 300x300/8

Boyut / Size :300x300 cm.  
Boru / Tube :84/77 mm. Ø  
Profil / Ribs :20,5x33 mm.  
:21,5x34 mm.  
Paketleme / Factory Pack :1

## TS 350x350/8

Boyut / Size :350x350 cm.  
Boru / Tube :84/77 mm. Ø  
Profil / Ribs :20,5x33 mm.  
:21,5x34 mm.  
Paketleme / Factory Pack :1

## TS 300x400/8

Boyut / Size :300x400 cm.  
Boru / Tube :84/77 mm. Ø  
Profil / Ribs :20,5x33 mm.  
:21,5x34 mm.  
Paketleme / Factory Pack :1

## Aluminium Frame & Crank System

| Technical Specifications |                                     |                                   |                          |                           |                        |                         |                         |                                            |  |  |
|--------------------------|-------------------------------------|-----------------------------------|--------------------------|---------------------------|------------------------|-------------------------|-------------------------|--------------------------------------------|--|--|
| SIZE<br>A                | AREA<br>COVERED<br>B m <sup>2</sup> | CRANK<br>HANDLE<br>HEIGHT<br>C cm | HEIGHT<br>CLOSED<br>D cm | CLEAR<br>HEADROOM<br>E cm | HEIGHT<br>OPEN<br>F cm | TOTAL<br>HEIGHT<br>G cm | SIZES OF<br>BOXES<br>cm | UMBRELLA WITH<br>POLYESTER<br>CLOTH IN KG. |  |  |
| 300x300/8                | 9,0                                 | 92                                | 130                      | 200                       | 310                    | 395                     | 40x40-395               | 46                                         |  |  |
| 350x350/8                | 12,2                                | 92                                | 106                      | 200                       | 310                    | 420                     | 40x40-420               | 49                                         |  |  |
| 300x400/8                | 12                                  | 92                                | 135                      | 200                       | 325                    | 440                     | 40x40-440               | 47                                         |  |  |
| 400x400/8                | 16                                  | 92                                | 110                      | 210                       | 325                    | 440                     | 40x40-440               | 52                                         |  |  |
| 500x500/8                | 25                                  | 80                                | 130                      | 190                       | 320                    | 515                     | 40x40-515               | 65                                         |  |  |

Aluminium Etial 60,DYE:Ral 9016 Plastic Material:ABS/ PA6

# TELESCOPIC ROUND



## TR 400/8

Boyut / Size :400 cm.  $\phi$   
 Boru / Tube :84/77 mm.  $\phi$   
 Profil / Ribs :34x21,5 mm.  
 Paketleme / Factory Pack :1

## TR 500/8



Boyut / Size :500 cm.  $\phi$   
 Boru / Tube :84/77 mm.  $\phi$   
 Profil / Ribs :34x21,5 mm.  
 Paketleme / Factory Pack :1

## TR 600/8

Boyut / Size :600 cm.  $\phi$   
 Boru / Tube :84/77 mm.  $\phi$   
 Profil / Ribs :34x21,5 mm.  
 Paketleme / Factory Pack :1

## Aluminium Frame & Crank System

### Technical Specifications

| SIZE<br>A | AREA<br>COVERED<br>B m <sup>2</sup> | CRANK<br>HANDLE<br>HEIGHT<br>C cm | HEIGHT<br>CLOSED<br>D cm | CLEAR<br>HEADROOM<br>E cm | TOTAL<br>HEIGHT<br>F cm | HEIGHT<br>OPEN<br>G cm | Umbrella<br>with<br>polyester<br>cloth in Kg. | SIZES OF<br>BOXES<br>cm |  |  |
|-----------|-------------------------------------|-----------------------------------|--------------------------|---------------------------|-------------------------|------------------------|-----------------------------------------------|-------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 400/8     | 12,5                                | 92                                | 145                      | 200                       | 290                     | 380                    | 39                                            | 26x26x380               |                                                                                      |                                                                                       |
| 500/8     | 19,6                                | 92                                | 125                      | 200                       | 295                     | 410                    | 46                                            | 26x26x410               |                                                                                      |                                                                                       |
| 600/8     | 28                                  | 92                                | 100                      | 205                       | 310                     | 435                    | 60                                            | 26x26x435               |                                                                                      |                                                                                       |